



## Comment Form

Your input is important to Waste Connections of Canada. Please take a moment to fill out this comment form.

1. The Environmental Assessment (EA) will consider the potential for impacts on the following: Biology, Hydrogeology, Surface Water, Air/Noise/Odour, Agriculture, Land Use, Economic, Archeology/Cultural Heritage, Social, Visual, Aviation & Bird Hazard, and Transportation. **Please identify what you feel is important for the team to consider and why.**

---

---

---

---

---

2. At the Open House, a map was displayed showing the areas the technical studies would consider. **Do you have any comments on the technical study areas?**

---

---

---

---

---

3. Alternatives for developing the site and managing leachate and landfill gas were presented at the Open House. **Do you have any comments on the alternatives?**

---

---

---

---

---

4. Waste Connections of Canada is committed to enhancing diversion. **Do you have any materials that you wish you could recycle/reuse/repurpose?**

---

---

---

---

---

5. A number of different types of diversion facilities being considered for the Ridge were presented at the Open House. **Do you have any comments or concerns with including these facilities at the Ridge?**

---

---

---

---

---

6. **Please provide any additional comments on the Ridge Landfill Environmental Assessment.**

---

---

---

---

---

7. **How did you hear about this Open House?** (please select one option)

- Newspaper Advertisement
- Letter
- Word of Mouth
- Other: \_\_\_\_\_

8. **Were you provided with enough information at this Open House to understand the project?**  
(please circle the one that most applies)

Yes    Somewhat    No    Please explain why: \_\_\_\_\_

---

**Thank you for your input.**  
**Your completed form can be mailed/mailed**  
**to:**

Cathy Smith, Project Manager Waste Connections of Canada Email: <a href="mailto:cathy.smith@wasteconnections.com">cathy.smith@wasteconnections.com</a> 20262 Erieau Road, PO Box 1871, Blenheim, Ontario, N0P 1A0
---